

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

FIG. 1 is a perspective view of the device in accordance with the present invention, showing the device in a closed position. The device includes a main body 10, a handle 20, and a latch 30. The handle 20 is connected to the main body 10 and is used to operate the latch 30. The latch 30 is used to secure the device in a closed position. The device is shown in a perspective view, with the handle 20 and latch 30 clearly visible. The main body 10 is a rectangular shape with rounded corners. The handle 20 is a long, thin rod that extends from the main body 10. The latch 30 is a small, rectangular component that is attached to the handle 20. The device is shown in a closed position, with the handle 20 and latch 30 in a retracted position. The device is shown in a perspective view, with the handle 20 and latch 30 clearly visible. The main body 10 is a rectangular shape with rounded corners. The handle 20 is a long, thin rod that extends from the main body 10. The latch 30 is a small, rectangular component that is attached to the handle 20. The device is shown in a closed position, with the handle 20 and latch 30 in a retracted position.




FIG. 1




FIG. 2




FIG. 3

~~~~~

FIG. 4




FIG. 6




FIG. 5

FIG. 7 is a perspective view of the device of FIG. 6, showing the device in a closed position. The device is shown in a perspective view, and the label "FIG. 7" is written below the drawing.




FIG. 7




FIG. 8